

# Notice of Allowability

Application No.

10/816,469

Examiner

Phu Vu

Applicant(s)

KASHIMA, KEIJI

Art Unit

2871

## -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 7/26/2007.
2. ☒ The allowed claim(s) is/are 12-20.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☒ All b) ☐ Some\* c) ☐ None of the:
    1. ☒ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).


\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
  - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
    - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
  - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

### Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO/SB/08),  
Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5. ☐ Notice of Informal Patent Application
6. ☐ Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

  
David Nelms  
Supervisory Patent Examiner  
Technology Center 2800

## DETAILED ACTION

### *Allowable Subject Matter*

Claims 12-20 are allowed.

The following is a statement of reasons for the indication of allowable subject matter:

Regarding claims 12-20, there is no prior art of record that teaches a process for fabrication of a laminated retardation layer obtained by lamination of a retardation layer having a positive index anisotropy and an optical axis in a layer plane and a retardation layer having a negative index anisotropy and optical axis in a normal direction to a layer plane, wherein a retardation layer having inverse chromatic dispersion that causes optical retardation defined by an optical path difference between extraordinary light and ordinary light to become small as wavelength becomes short is used as a retardation layer and a retardation layer having normal chromatic dispersion between extraordinary light and ordinary light to become large is used as the retardation layer having negative index anisotropy and an optical axis in a normal direction to a layer plane, wherein:

a stretched polymer film having inverse chromatic dispersion is used as a substrate, and a polymerizable liquid crystal layer for polymerization, thereby forming said polymerizable liquid crystal layer having said normal chromatic dispersion into a coating layer.

Miyachi discloses lamination of a positive index anisotropy film with optical axis in layer plane to a negative index anisotropy film with optical axis normal to the layer plane. Uchiyama teaches formation of negative index isotropy films with fluorene

skeletons having desirable properties however the combination fails to teach a normal chromatic dispersion positive anisotropic film and a stretched polymer film having inverse chromatic dispersion is used as a substrate, and a polymerizable liquid crystal layer for polymerization, thereby forming said polymerizable liquid crystal layer having said normal chromatic dispersion into a coating layer.

### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Phu Vu whose telephone number is (571)-272-1562. The examiner can normally be reached on 8AM-5PM M-F.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, David Nelms can be reached on (571)-272-1787. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Application/Control Number: 10/816,469  
Art Unit: 2871

Page 4

Phu Vu  
Examiner  
AU 2871



David Nelms  
Supervisory Patent Examiner  
Technology Center 2800